

STF International Construction Engineering Limited
(WA & ITF Certificated Sports Surface System Products)
WhatsApp /M.P:+86 13812135250 ; Skype:Jasonpp1003
<https://www.youtube.com/c/sportsbuildercn/>
<https://www.instagram.com/sportsbuilder.cn/>
www.sportsbuilder.cn / www.sportsbuilder.vn
Email: sportsbuildercn@188.com/
www.tiktok.com/@jasonzhangsportsbuilder

TRACK & FIELD®
JASON ZHANG SPORTS BUILDER
www.sportsbuilder.cn

运动场地铺装机械专业制造商

PROFESSIONAL MANUFACTURER OF SPORTS FIELD PAVING MACHINERY



CONTENTS

产品目录

TRACK & FIELD®
JASON ZHANG SPORTS BUILDER
www.sportsbuilder.cn

塑胶跑道铺装设备 01-20 PLASTIC RUNWAY PAVING EQUIPMENT

03 TPJ-2.5型摊铺机
TPJ-2.5 Paver Machine

04 TPJ-1.5型摊铺机
TPJ-1.5 Paver Machine

05 TPJ-1.2型摊铺机
TPJ-1.2 Paver Machine

06 TPJ-H2.5型摊铺机
TPJ-H2.5 Paver Machine

07 DS-120型柴油喷涂机
DS-120 Diesel Spraying Machine

08 PTJ-120 喷涂机
PTJ-120 Spraying Machine

09 PTJ-100喷涂机
PTJ-100 Spraying Machine

10 PTJ-80喷涂机
PTJ-80 Spraying Machine

11 PTJ-30喷涂机
PTJ-30 Spraying Machine

11 M-100型立式搅拌机
M-100 Vertical Mixer Machine

12 M-200 / M-200Q型翻斗搅拌机
M-200/M-200Q Tipper Mixer Machine

13 M-50型便携式搅拌机
M-50 Portable Mixer Machine

14 M-100Q型汽油搅拌机
M-100Q Gasoline Mixer Machine

14 混合搅拌机
Mixing Mixer Machine

15 手推摊铺车80型
Hand Propelled Paver Type 80

15 叶片式加热磨平机
Blade Type Heating Grinding Machine

16 HXJ-512型划线机
HXJ-512 Marking Machine

17 CXJ-Pro铲削机
CXJ-pro Shovel Cutting Machine

17 硅PU打磨机G300型
Silicon PU Sander G300

18 普通地坪打磨机G400型
Ordinary Floor Grinding Machine G400

18 吸尘式地坪打磨机G400型
Vacuum Floor Sander G400

19 喷涂机配件
Spraying Machine Accessories Tool

20 工具

人造草坪铺装设备 21-30 ARTIFICIAL LAWN PAVING EQUIPMENT

23 CSJ-1.2 / D型人造草坪充砂梳草机 (柴油)
CSJ-1.2 / D Artificial Turf Sand Carding Machine (Diesel)

24 CSJ-0.8 / D型人造草坪充砂梳草机
CSJ-0.8 / D Artificial Turf Sand-filling And Lawncombing Machine

25 CSJ-150 / L型人造草坪手推式充砂机
CSJ-150 / L Type Artificial Turf Hand Sand Filling Machine

25 便携式手推充砂机
Portable Hand Push Sand Filling Machine

26 SCJ-700型人造草坪梳草机
SCJ-700 Type Artificial Lawn Comb Machine

26 便携式人造草坪梳草机
Portable Artificial Lawn Lawncomb

27 SCJ-1500型人造草坪梳草机 (汽油款)
SCJ-1500 Type Artificial Turf Comb Machine (Gasoline)

28 SCJ-1500型人造草坪梳草机 (柴油款)
SCJ-1500 Type Artificial Lawn Comb Machine (Diesel)

29 TW-2D型人造草坪铺装机
TW-2D Artificial Turf Paving Machine

30 人造草坪工具
Artificial Turf Tool

PLASTIC RUNWAY PAVING EQUIPMENT 塑胶跑道铺装设备



TPJ-2.5型摊铺机 TPJ-2.5 Paver Machine

用于铺设塑胶跑道底层颗粒。
Used for laying bottom particles of plastic runway.



TPJ-2.5是专业的塑胶跑道摊铺设备。

其采用先进的西门子变频无极调速技术，电机带动履带链条传动装置，大大提高了铺设的自动化程度，钢架结构，激光切机身，平稳精确，并可做弧形运动。

通过螺杆可调节离地高度，从而设置摊铺地厚度，装上限幅板可调节摊铺宽度。采用蜗轮蜗杆电机升降，大大降低故障率。

振动板通过振动及电阻加热，对塑胶地材进行压实、慰平。

TPJ-2.5 is a professional plastic runway paving equipment.

It adopts advanced Siemens variable frequency stepless speed regulation technology, and the motor drives the track chain transmission device, greatly improving the automation level of laying. The steel frame structure, laser cutting machine body, is stable and accurate, and can perform arc motion.

The height above the ground can be adjusted through screws to set the thickness of the paving layer, and the paving width can be adjusted by installing an upper limit plate. Adopting a worm gear motor for lifting and lowering greatly reduces the failure rate.

The vibrating plate compacts and flattens the plastic flooring through vibration and resistance heating.

重量
Weight
800kg

铺设能力
Paving capacity
500m²/h

工作有效宽度
Effective working width
2500mm

移动速度
Moving speed
0.8-6m/min

功率
Power
8kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)
2800 x 1750 x 700mm

TPJ-1.5型摊铺机 TPJ-1.5 Paver Machine

专为小型、迷你型塑胶跑道而设计。
Designed specifically for small and mini plastic racetracks.



重量
Weight
450kg

铺设能力
Paving capacity
350m²/h

工作有效宽度
Effective working width
1400mm

移动速度
Moving speed
0.8-6m/min

功率
Power
4.05kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)
1550 x 1600 x 700mm

TPJ-1.2型摊铺机 TPJ-1.2 Paver Machine

专为小型场地、步道铺设设计。
Specially designed for laying small venues and walkways.



小型摊铺机TPJ-1.2是专为小型运动场地、健身步道摊铺设计制作。本设备为手动液压升降装置，其余功能都沿用摊铺机TPJ-2.5的，铺设平稳灵活、高效，手动液压升降安全可靠等特点，其性能满足运动场地的铺装要求。

The small paver TPJ-1.2 is designed and manufactured specifically for paving small sports venues and fitness trails. This equipment is a manual hydraulic lifting device, and all other functions are extended to use the paver TPJ-2.5. The laying is smooth, flexible, efficient, and the manual hydraulic lifting is safe and reliable. Its performance meets the paving requirements of sports venues.

重量
Weight
450kg

移动速度
Moving speed
0.8-6m/min

铺设能力
Paving capacity
350m²/h

工作有效宽度
Effective working width
1200mm

功率
Power
4.05kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)
1550 x 1300 x 700mm

TPJ-H2.5型摊铺机 TPJ-H2.5 Paver Machine

摊铺机TPJ-H2.5是TPJ-2.5的延伸产品，在原有功能的基础上增加了二路电控液压系统，驾驶员在座位上操作前面的按钮都可以根据地面不同情况进行震动板左右高低调整，不仅操作过程更加方便，而且降低了驾驶员的劳动强度，为驾驶员提供了更加舒适的工作条件。

The paver TPJ-H2.5 is an extension product of TPJ-2.5, which adds a two way electronic hydraulic system on top of its original functions. The driver can adjust the left and right height of the vibration plate according to different ground conditions by operating the buttons in front of the seat. This not only makes the operation process more convenient, but also reduces the driver's labor intensity, providing more comfortable working conditions for the driver.



重量
Weight
800kg

铺设能力
Paving capacity
500m²/h

工作有效宽度
Effective working width
2500mm

移动速度
Moving speed
0.8-6m/min

功率
Power
8kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)
2800 x 1750 x 700mm



DS-120柴油喷涂机

DS-120 Diesel Spraying Machine



重量
Weight

400kg

功率
Power

12.5kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1750 x 1000 x 1100mm

料斗有效容积
Effective Hopper volume

120L

喷涂输出量
Spray output capacity

12-15kg/min

PTJ-120喷涂机

PTJ-120 Spraying Machine

用于塑胶运动场地面层的喷涂。
Used for spraying the surface layer.



PTJ-120是专业的塑胶跑道面层喷涂设备。其采用活塞式空压机，体积小、气量大、喷涂速率快，运转稳定可靠。料泵为容积泵，可输送固、液两相物质，流量随转速变化。

喷枪实现压缩空气和塑胶的混合、雾化，并将材料均匀的喷涂于塑胶场地表面。

PTJ-120 is a professional plastic runway surface coating equipment. It adopts a piston type air compressor with small volume, large air volume, fast spraying rate, and stable and reliable operation. The material pump is a volumetric pump that can transport solid and liquid two-phase substances, and the flow rate varies with the rotational speed.

The spray gun achieves the mixing and atomization of compressed air and plastic, and evenly sprays the material onto the surface of the plastic field.

重量
Weight

500kg

功率
Power

10.5kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1600 x 1000 x 1100mm

料斗有效容积
Effective Hopper volume

120L

喷涂输出量
Spray output capacity

12-15kg/min

PTJ-100喷涂机

PTJ-100 Spraying Machine



重量 Weight	料斗有效容积 Effective Hopper volume
300kg	100L
功率 Power	喷涂输出量 Spray output capacity
7.7kw	12-15kg/min
外形尺寸(长 x 宽 x 高) Outline dimension(L x W x H)	
1150 x 750 x 950mm	

PTJ-80喷涂机

PTJ-80 Spraying Machine



重量 Weight	料斗有效容积 Effective Hopper volume
220kg	80L
功率 Power	喷涂输出量 Spray output capacity
5.5kw	12-15kg/min
外形尺寸(长 x 宽 x 高) Outline dimension(L x W x H)	
1100 x 550 x 930mm	

PTJ-30喷涂机

PTJ-30 Spraying Machine

重量 Weight	料斗有效容积 Effective Hopper volume
70kg	30L
功率 Power	电压 Voltage
3.5kw	220V
外形尺寸(长 x 宽 x 高) Outline dimension(L x W x H)	
720 x 450 x 900mm	



M-100型立式搅拌机

M-100 Vertical Mixing machine

用于塑胶胶水、颗粒的混合搅拌。
Used for mixing and stirring plastic glue and particles.

M-100配备电机直联减速机，带动螺旋桨叶进行搅拌工作，搅拌均匀，出料干净，功效高。适用于各种场地的轻便搅拌工作，万向锁定轮式结构，可以轻松实现转场运输。

The M-100 is equipped with a motor directly connected reducer, which drives the spiral blades for mixing work, ensuring uniform mixing, clean discharge, and high efficiency. Suitable for lightweight mixing work in various fields, with a universal locking wheel structure, it can easily achieve transfer transportation.



重量 Weight	搅拌能力 Mixing capacity
180kg	100kg
功率 Power	主轴转速 Spindle speed
4kw	72 r/min

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)
1100 x 1100 x 1180mm

M-200 / M-200Q型翻斗搅拌机

M-200/M-200Q Tipper Mixer Machine

用于塑胶胶水，胶粒的均匀混合，搅拌，倒料。
This machine is mainly used for mixing, blending or dumping the mixture of plastic glue and grain.



M-200引进德国先进技术，采用液压传动装置，钢架结构焊接机身，搅拌能力强，由伸缩液压油缸驱动料斗提升和倾卸，使之具有翻斗倒料功能，特别适用于运动场地施工过程中塑胶胶水、颗粒等材料的混合、搅拌工作。具有搅拌均匀，混合质量好，搅拌周期短，效率高的特点。

The M-200 introduces advanced German technology and adopts hydraulic transmission devices. The steel frame structure is welded to the body, with strong mixing ability. It is driven by telescopic hydraulic cylinders to lift and dump the hopper, making it have the function of flipping and pouring materials. It is particularly suitable for mixing and mixing plastic glue, particles, and other materials during the construction process of sports venues. It has the characteristics of uniform mixing, good mixing quality, short mixing cycle, and high efficiency.

重量 Weight	料斗容积 Hopper volume	搅拌能力 Mixing capacity
650kg	200L	180kg
主轴转速 Spindle speed	功率 Power	外形尺寸(长 x 宽 x 高) Outline dimension(L x W x H)
40 r/min	M-200/5.5kw M-200Q/8kw	2500 x 1000 x 1100mm

M-50型便携式搅拌机

M-50 Portable Mixer Machine



重量
Weight

70kg

料斗容积
Hopper volume

50L

搅拌能力
Mixing capacity

50kg

主轴转速
Spindle speed

40 r/min

功率
Power

1.5kw

电压
Voltage

220V

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

650 x 500 x 920mm

M-100Q型汽油搅拌机

M-100Q Gasoline Mixer Machine



重量
Weight

150kg

料斗容积
Hopper volume

100L

主轴转速
Spindle speed

60 r/min

功率
Power

3.5kw

搅拌能力
Mixing capacity

100kg

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1360 x 920 x 1000mm

混合搅拌机

Mixing Mixer Machine



重量
Weight

150kg

主轴转速
Spindle speed

1400 r/min

功率
Power

5.5kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1100 x 750 x 1740mm

手推摊铺车80型

Hand Propelled Paver Type 80

重量
Weight

70kg

摊铺宽度
Paving width

800 mm

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1000 x 750 x 600mm



叶片式加热磨平机

Blade Type Heating Grinding Machine

重量
Weight

16kg

磨盘外径
Grinding disc outer diameter

550 mm

功率
Power

4.5kw

电压
Voltage

220V



HXJ-512型划线机

HXJ-512 Marking Machine

用于塑胶运动场地和人造草坪球场的划线。

Scribing for plastic sports fields and artificial turf courts.



HXJ-512采用激光切割机身，喷漆处理，拥有先进的隔膜泵无气喷涂技术，选用日本本田发动机，输出稳定，动力强劲，运用于运动场地划线，喷出的线条清晰、流畅、饱满、均匀，喷枪两侧有挡料盘，确保线宽无毛边，转向时通过拉线可使盘子起，转动自如，工作效率高。

喷枪拆卸方便，可更换不同喷嘴，控制不同划线宽度。可作普通无气喷涂，用于喷涂标记或标志，是塑胶跑道划线最理想的专业工具。

The HXJ-512 adopts laser cutting machine body, spray molding treatment, and advanced diaphragm pump airless spraying technology. It uses a Japanese Honda engine, with stable output and strong power. It is used for marking on sports fields, and the sprayed lines are clear, smooth, full, and even. The spray gun has a stopper plate on both sides to ensure that the line width is free of burrs. When turning, the plate can be lifted and rotated freely by pulling a wire, resulting in high work efficiency.

The spray gun is easy to disassemble, and different nozzles can be replaced to control different marking widths. It can be used for ordinary airless spraying, for spraying marks or signs, and is the ideal professional tool for marking plastic runways.

重量
Weight

110kg

划线速度
Scoring speed

0.5-3 km/min

工作压力
Working pressure

15-30 MPa(2100-4300psi)

流量
Flow rate

3.5 L/min

功率
Power

3.05kw

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1200 x 550 x 750mm

CXJ-Pro铲削机

CXJ-pro Shovel Cutting Machine

用于塑胶跑道，PU涂材，聚氨酯旧场地的铲除，高效灵活，人机功效高。

Used for the removal of plastic racetracks, PU coating materials, and polyurethane old fields, efficient and flexible, with high human-machine efficiency.

电机功率
Motor power

1.1 kw

震动电机功率
Vibration motor power

1.5 kw

铲削宽度
Shovel width

280 mm / 140 mm

刀刃振动频率
Blade vibration frequency

1900 / min

效率
Efficiency

400-500 m² / 天



硅PU打磨机G300型

Silicon PU Sander G300

重量
Weight

90 kg

功率
Power

4 kw

电压
Weight

380V · 50HZ

外形尺寸(长 x 宽 x 高)

Outline dimension(L x W x H)

980 x 720 x 850mm



普通地坪打磨机G400型

Ordinary Floor Grinding Machine G400

重量
Weight

120 kg

功率
Power

4 kw

电压
Weight

380V · 50HZ

外形尺寸(长 x 宽 x 高)

Outline dimension(L x W x H)

950 x 500 x 800mm



吸尘式地坪打磨机G400型

Vacuum Floor Sander G400

重量
Weight

150 kg

功率
Power

5.5 kw

电压
Weight

380V · 50HZ

外形尺寸(长 x 宽 x 高)

Outline dimension(L x W x H)

1000 x 550 x 950mm



喷涂机配件

Spraying Machine Accessories



自结纹喷枪
Self knotting spray gun



透气型喷枪
Breathable spray gun



锭子
Spindle



转子
Rotor



料管
Material tube



气管
Trachea

工具

Tools



加热棒
Heating rod



加热烫板
Heating hot plate



手拿电抹子
Hand held electric trowel



倒料车
Dumping truck




加热滚筒
Heated roller



PU耙
PU rake



混合耙
Mixed rake



球场贴带机
Stadium tape attaching machine

ARTIFICIAL LAWN PAVING EQUIPMENT 人造草坪铺装设备



CSJ-1.2/D型人造草坪充砂梳草机(柴油)

CSJ-1.2/D Artificial Turf Sand Carding Machine (Diesel)

用于向人造草坪中填充石英砂和橡胶颗粒并梳理人造草。

Used to fill artificial turf with quartz sand and rubber particles and comb artificial turf.



CSJ-1.2/D为充砂梳草两用机械，采用柴油引擎动力，马力强劲，效率高，特别适合大型草坪场地的充砂梳草。是针对时下流行，广泛使用的人造草坪足球场、棒球场等带填充颗粒的人造草坪施工维护而专门设计。

料斗前后各装两组毛刷，伸缩液压缸控制毛刷的高度，机器行进中通过液压传动驱动毛刷作横向往复运动，通过调节料斗角度，控制出砂速度和充砂厚度。将石英砂和橡胶颗粒均匀地充填于草坪中，并进行梳理。

CSJ-1.2/D is a dual purpose machine for sand filling and grass combing, powered by a diesel engine, with strong horsepower and high efficiency. It is particularly suitable for sand filling and grass combing in large lawn fields. It is specially designed for the construction and maintenance of artificial lawns with filling particles, such as popular and widely used artificial lawns, football fields, baseball fields, etc.

Two sets of brushes are installed before and after the hopper, and the height of the brush is controlled by the telescopic hydraulic cylinder. During the machine's movement, the brush is driven by hydraulic transmission for horizontal reciprocating motion. By adjusting the hopper angle, the sand production speed and sand filling thickness are controlled. Fill the lawn with quartz sand and rubber particles evenly and comb them.

重量

Weight

1800kg

装载能力

Loading capacity

1000kg-1200kg

充砂宽度

Sand filling width

1450mm

移动速度

Movement speed

1.9-2.2 km/h

功率

Power

12kw

外形尺寸(长 x 宽 x 高)

Outline dimension(L x W x H)

2800 x 2000 x 2100mm

CSJ-0.8/D型人造草坪充砂梳草机

CSJ-0.8 / DArtificial Turf Sand-filling And Lawncombing Machine



行走电瓶电压

Traveling battery voltage

48V

装载能力

Loading capacity

800kg

充砂宽度

Sand filling width

1050mm

梳草汽油机功率

Comb grass gasoline engine power

5.5 HP

功率

Power

800w

外形尺寸(长 x 宽 x 高)

Outline dimension(L x W x H)

2100 x 1350 x 1100mm

CSJ-150/L型人造草坪手推式充砂机

CSJ-150 / L Type Artificial Turf Hand Sand Filling Machine

用于向人造草坪中填充石英砂和橡胶颗粒。

Used to fill artificial lawns with quartz sand and rubber particles.

CSJ-150/L钢架结构焊接机身，两个前轮采用充气宽轮支撑，对地压强小，不易损坏草丝。后轮采用万向轮，转向灵活。

料斗底部采用单向滚轮卸砂，前进时均匀卸砂，后退时不卸砂。

卸砂快速，效率高。

The CSJ-150/L steel frame structure is welded to the body, and the two front wheels are supported by inflatable wide wheels, which have low ground pressure and are not easy to damage the grass wire. The rear wheels are equipped with universal wheels for flexible steering.

The bottom of the hopper adopts a unidirectional roller for sand unloading, with uniform sand unloading when moving forward and no sand unloading when moving backward.

Quick sand unloading and high efficiency.

重量 Weight	装载能力 Loading capacity	充砂宽度 Sand filling width
150kg	150kg	700mm

移动速度
Movement speed

人工匀速 Artificial uniform speed



外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)
1300 x 800 x 1000mm

便携式手推充砂机

Portable Hand Push Sand Filling Machine

重量 Weight	装载能力 Loading capacity	充砂宽度 Sand filling width
35kg	80kg	1000mm

移动速度
Movement speed

人工匀速 Artificial uniform speed

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1200 x 700 x 700mm



SCJ-700人造草坪梳草机

SCJ-700 Type Artificial Lawn Comb Machine

用于人造草坪场地的梳理、维护。

Used for the sorting and maintenance of artificial turf fields.

重量 Weight	功率 Power	工作宽度 Working width
80kg	6.5HP	700mm

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1750 x 700 x 1020mm

移动速度
Movement speed

人工匀速 Artificial uniform speed



便携式人造草坪梳草机

Portable Artificial Lawn Lawncomb

专为小型、迷你型人造草坪场地而设计。

Specially designed for small and mini artificial turf fields.

重量 Weight	功率 Power	工作宽度 Working width
28kg	1.2kW	600mm

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1100 x 600 x 900mm

移动速度
Movement speed

人工匀速 Artificial uniform speed



SCJ-1500型人造草坪梳草机（汽油款）

SCJ-I 500 Type Artificial Turf Comb Machine (Gasoline)

用于人造草坪场地的梳理、维护。

Used for the sorting and maintenance of artificial turf fields.



SCJ-1500专业用于人造草坪刷砂梳理。配备电动或本田汽油机直联减速器，带动砂刷转动。通过旋转手轮调节螺杆升降 控制刷砂深度，以满足草坪梳理要求。

SCJ-1500钢架结构焊接机身，体形紧凑，增加了人工座椅，提升了驾乘舒适感，特制尼龙滚刷更加结实耐磨，是人造草坪刷砂梳理较为理想的机器。

SCJ-1500 is specialized for sanding and combing artificial lawns. Equipped with an electric or Honda gasoline engine direct coupling reducer to drive the sand brush to rotate. Control the depth of sand brushing by rotating the handwheel and adjusting the screw to meet the requirements of lawn grooming.

The SCJ-1500 steel frame structure is welded to the body, with a compact body shape and the addition of artificial seats, improving driving comfort. The specially made nylon roller brush is more sturdy and wear-resistant, making it an ideal machine for sanding and combing artificial lawns.

重量
Weight

260kg

工作宽度
Working width

1500mm

工作能力
Working ability

4500m²/h

功率
Power

3kw(电动 Electric)

5.5HP(汽油 Gasoline)

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1800 x 1100 x 950mm

SCJ-1500型人造草坪梳草机（柴油款）

SCJ-I 500 Type Artificial Lawn Comb Machine (Diesel)



重量
Weight

260kg

工作宽度
Working width

1500mm

工作能力
Working ability

4500m²/H

功率
Power

4kw(电动 Electric)

6.5HP(柴油 Diesel Oil)

外形尺寸(长 x 宽 x 高)
Outline dimension(L x W x H)

1800 x 1100 x 950mm

TW-2D型人造草坪铺装机

TW-2D Artificial Turf Paving Machine

快捷地运输及铺展人造草皮卷。

Quickly transport and spread artificial turf rolls.



TW-2D专为快捷运输及铺展人造草坪而开发设计。二台分体式独立牵引推车配备有液压动力升降装置，含手动泵和液压油缸，可以轻松实现升降及运输草皮卷，左右牵引推车透过中间的方型管实现有效连接，工作宽度最高达5米，本设备重量由4个可自由转向的充气轮胎承载，对地压强小，减少了对草丝的损伤。

左右操作杆可共同精确完成转向，运输，即使是狭窄的入口或门也可以轻松通过，使得运输和铺设草皮卷变得很容易，大大减少工作量。

TW-2D is specifically developed and designed for fast transportation and the laying of artificial lawns. Two separate independent traction carts are equipped with hydraulic power lifting devices, including manual pumps and hydraulic cylinders, which can easily lift and transport turf rolls. The left and right traction carts are effectively connected through square pipes in the middle, with a working width of up to 5 meters. The weight of this equipment is carried by four freely steerable pneumatic tires, with low ground pressure and reduced damage to the grass.

The left and right operating levers can work together to accurately complete steering, transportation, and even narrow entrances or doors can easily pass through, making transportation and laying of turf rolls easy, greatly reducing workload.

重量 Weight	上举高度 Lifting height	上举力量 Uplift force	工作宽度 Working width	外形尺寸(长 x 宽 x 高) Outline dimension(L x W x H)
250kg	1200mm	2000kg	1-5m	1300 x 1100 x 1500mm

人造草坪工具

Artificial Turf Tool



切边处理器
Edge trimmer



圆型切割器
Circle cutter



线型切割器
Line cutter



涂胶器
Glue fix



草坪高度尺
Floor test



草皮切割器
Grass cutter



草皮钳夹
Turf grip



草皮拉紧器
Turf fix



草皮压实器
Seam fix



三角刷
Triangular brush

